

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("4862399").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/17 17:54
S2	43	("4656592" "4692920" "4692921" "4696006" "4701922" "4725975" "4745355").PN. OR ("4862399"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/09/17 17:55
S3	36	S2 and (redund\$5 or duplicat\$5 or repeat\$5 or recur\$5 or reoccur\$5)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/09/17 17:58
S4	0	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near3 (type of class \$2) with (test\$4 or verif\$8) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:17
S5	18339	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with (verification \$2) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:19
S6	345	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near3 (type or class \$4) with (verification\$2) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:20

S7	266	(frame\$2 or PDU\$2 or segment \$2 or fragment\$2 or datagram \$2 or packet\$2 or (data adj unit \$2) or grain or message\$2) near3 (type or class\$4) with (verification\$2) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:21
S8	22	(frame\$2 or PDU\$2 or segment \$2 or fragment\$2 or datagram \$2 or packet\$2 or (data adj unit \$2) or grain or message\$2) near3 (type or class\$4) with (verification\$2) with (fault\$4 or fail\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:22
S9	0	(frame\$2 or PDU\$2 or segment \$2 or fragment\$2 or datagram \$2 or packet\$2 or (data adj unit \$2) or grain or message\$2) near3 (type or class\$4) same (simulation vector\$2) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:25
S10	10	(frame\$2 or PDU\$2 or segment \$2 or fragment\$2 or datagram \$2 or packet\$2 or (data adj unit \$2) or grain or message\$2) near3 (type or class\$4) and (simulation vector\$2) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:25
S11	12	(frame\$2 or PDU\$2 or segment \$2 or fragment\$2 or datagram \$2 or packet\$2 or (data adj unit \$2) or grain or message\$2) with verification\$2 and (simulation\$2 vector\$2) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:26

S12	3	possible near2 (frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with (verification\$2) with (fault\$4 or fail\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:38
S13	24	possible near2 (frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) same (verification\$2) with (fault\$4 or fail\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:39
S14	6	possible near2 (frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with (test\$3) with (fault\$4 or fail\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:40
S15	23	(frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near3 (type or class\$4) with dut and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:44
S16	7	(frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near3 (type or class\$4) with (test case\$2 or testcase\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:54
S17	86	("5271000").URPN.	USPAT	ADJ	ON	2009/08/28 01:57

S18	66	S17 and (test\$5 or verification\$2)	USPAT	ADJ	ON	2009/08/28 01:58
S19	50	(frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with (verification\$2 or test\$5)and S18	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 01:59
S20	4	(frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with (verification\$2)and S18	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:00
S21	4	(frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with (verification\$2)and S17	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:01
S22	273	(frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with (test case\$2 or testcase\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:09
S23	1	possible near2 (frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with (test case\$2 or testcase\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:10
S24	8	possible near2 (frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) with (test case\$2 or testcase\$4 or stimuli) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:12

S25	22	(frame\$2 or PDU\$2 or segment \$2 or fragment\$2 or datagram \$2 or packet\$2 or (data adj unit \$2) or grain or message\$2) near3 (type or class\$4) with stimuli and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:14
S26	528	(random) with(stimuli or testcase\$2 or testcase) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:18
S27	3	(random) with(stimuli or testcase\$2 or testcase) near3 (repeat\$4 or redundant\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:19
S28	0	(random) with(stimuli or testcase\$2 or testcase) near3 (redundant\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:19
S29	0	(random) same (stimuli or testcase\$2 or testcase) near3 (redundant\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:19
S30	27	(stimuli or testcase\$2 or testcase) near3 (redundant\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:19
S31	1	(US-20090192778-\$).did.	US-PGPUB	ADJ	ON	2009/08/28 02:44
S32	1	S31 and testcase bucket\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:45

S33	1	S31 and (testcase bucket\$2 or flag\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:46
S34	58	(stimuli or testcase\$2 or testcase) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:51
S35	21	(stimuli or testcase\$2 or testcase) with (redundan\$4 or repeat\$5) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 02:58
S36	6317	(vector) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:15
S37	6372	(vector\$2) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:15
S38	0	(redundant or repeat\$5) near2 ((test or simulat\$5) near2 vector\$2) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:16
S39	2	(redundant or repeat\$5) near2 (vector\$2) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:16
S40	99	(redundant or repeat\$5) near2 (test\$4 or verification) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:18

S41	36	(US-20090059696-\$ or US-20070198213-\$ or US-20060236848-\$ or US-20060129345-\$ or US-20060017582-\$ or US-20050223290-\$ or US-20050185485-\$ or US-20050172267-\$ or US-20050151657-\$ or US-20040184344-\$ or US-20040178918-\$ or US-20030184170-\$ or US-20030107928-\$ or US-20020141258-\$ or US-20020126304-\$ or US-20020112197-\$ or US-20020024869-\$ or US-20020009006-\$ or US-20010045581-\$ or US-20010030896-\$).did. or (US-7580320-\$ or US-7474228-\$ or US-7394394-\$ or US-7318000-\$ or US-7299153-\$ or US-7286957-\$ or US-7203619-\$ or US-7126935-\$ or US-7124317-\$ or US-7050933-\$ or US-7002848-\$ or US-6885599-\$ or US-6885307-\$ or US-6873424-\$ or US-6738718-\$ or US-6711075-\$).did.	US-PGPUB; USPAT	ADJ	ON	2009/08/28 03:24
S42	11	(redundant) near2 (test\$4 or verification or stimuli or (simulat\$5 or test\$4) near2 vector\$2) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") not S41	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:25
S43	14	(redundant) near2 (test\$4 or verification or stimuli or (simulat\$5 or test\$4) near2 vector\$2) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") not S42	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:26
S44	107	already near3 (test\$5 or verif\$5) with flag\$4 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") not S42	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:31

S45	107	already near3 (test\$5 or verif \$5) with flag\$4 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:31
S46	1	("7424659").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/28 03:54
S47	0	S46 and flag	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 03:55
S48	1	("7500158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/28 07:22
S49	23	(frame\$2 or PDU\$2 or segment \$2 or fragment\$2 or datagram \$2 or packet\$2 or (data adj unit \$2) or grain or message\$2) near3 (type or class\$4) with dut and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 07:26
S50	6	("20030126248" "20060217115" "20070169107" "20070202859" "6330597" "6842844").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/08/28 07:27
S51	0	already near4 (test case or stimuli) with flag\$4 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 09:53
S52	36	(US-20090059696-\$ or US-20070198213-\$ or US-20060236848-\$ or US-20060129345-\$ or US-20060017582-\$ or US-20050223290-\$ or US-20050185485-\$ or US-20050172267-\$ or US-20050151657-\$ or US-20040184344-\$ or US-20040178918-\$ or US-20030184170-\$ or US-20030107928-\$ or US-20020141258-\$ or US-20020126304-\$ or US-20020112197-\$ or US-20020024869-\$ or US-20020009006-\$ or US-20010045581-\$ or US-	US-PGPUB; USPAT	ADJ	ON	2009/08/28 09:55

		20010030896-\$).did. or (US-7580320-\$ or US-7474228-\$ or US-7394394-\$ or US-7318000-\$ or US-7299153-\$ or US-7286957-\$ or US-7203619-\$ or US-7126935-\$ or US-7124317-\$ or US-7050933-\$ or US-7002848-\$ or US-6885599-\$ or US-6885307-\$ or US-6873424-\$ or US-6738718-\$ or US-6711075-\$).did.				
S53	11	(redundant) near2 (test\$4 or verification or stimuli or (simulat\$5 or test\$4) near2 vector\$2) with flag\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") not S52	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 09:55
S54	91	(redundant) near2 (test\$4 or verification or stimuli or (simulat\$5 or test\$4) near2 vector\$2) near4 (avoid\$4 or prevent\$4 or skip\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 09:55
S55	28	(redundant) near2 (testcase\$4 or testcase\$4 or verification or stimuli or (simulat\$5 or test\$4) near2 vector\$2) near4 (avoid\$4 or prevent\$4 or skip\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 09:59
S56	25	(redundant) near2 (testcase\$4 or testcase\$4 or verification or stimuli or (simulat\$5 or test\$4) near2 vector\$2) and (flag\$4 with (testcase\$4 or testcase\$4 or verification or stimuli or (simulat\$5 or test\$4) near2 vector\$2)) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:02

S57	62	(random) near5 (testcase\$4 or testcase\$4 or verification or stimuli or (simulat\$5 or test\$4) near2 vector\$2) and (flag\$4 with (testcase\$4 or testcase\$4 or verification or stimuli or (simulat\$5 or test\$4) near2 vector\$2)) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:03
S58	8	(random) near5 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2) and (flag\$4 with (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2)) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:04
S59	115	(random) near5 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2) and ((redundan\$5 or repeat\$5) with (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2)) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:10
S60	27	(random) near5 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2) same ((redundan\$5 or repeat\$5) with (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2)) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:11
S61	6	(random) near5 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2) same redundan\$5 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:13

S62	2	("5651099" "5983381").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/08/28 10:17
S63	102	(random or pseudorandom) with (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test \$4) near2 vector\$2) same (compact\$5 or compress\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:23
S64	45	(random or pseudorandom) with (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test \$4) near2 vector\$2 or test set or testset) with (compact\$5 or compress\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:26
S65	35	(random or pseudorandom) with (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test \$4) near2 vector\$2 or test set or testset) with (compact\$5 or compress\$5) and (redundan\$5 or repeat\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:29
S66	17	(random or pseudorandom) with (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test \$4) near2 vector\$2 or test set or testset) with (compact\$5 or compress\$5) and (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) with (redundan\$5 or repeat\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:34

S67	94	(testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) with (compact\$5 or compress\$5) and (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) with (redundan\$5 or repeat\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:39
S68	4	(testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) with (compact\$5 or compress\$5) and flag\$5 with (redundan\$5 or repeat\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:41
S69	9	(testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) with (compact\$5 or compress\$5) and flag\$5 with (redundan\$5 or repeat\$5 or already) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 10:41
S70	70	(testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset or test\$4) near3 exist\$4 with flag\$5 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 11:29
S71	13	duplicat\$5 near3 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset or test\$4) with flag\$5 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 11:35

S72	4	(testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) with (compact\$5 or compress\$5) and flag\$5 with (duplicat\$5 or exist\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 11:39
S73	24	(testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) with (compact\$5 or compress\$5 or reduc\$5) and flag\$5 with (duplicat\$5 or exist\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 11:39
S74	38	(generat\$5) near2 (test) near2 packet\$2 same (packet with (class\$2 or type or format\$2)) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 11:50
S75	2	(generat\$5) near2 (test) near2 packet\$2 and (redundan\$5 or duplicat\$4) near3 test packet\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 11:51
S76	0	(skip\$5 or avoid\$5 or reduc\$5 or prevent\$5) near5 (redundan\$5 or duplicat\$4) near3 test packet\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 11:52
S77	4	(skip\$5 or avoid\$5 or reduc\$5 or prevent\$5) near5 (redundan\$5 or duplicat\$4) and (generat\$5) near4 test packet\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 11:53

S78	56	(generat\$5) near2 (test) near2 packet\$2 same (packet with (class\$2 or type or format\$2 or protocol\$2)) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 12:00
S79	1	(US-20030172177-\$).did.	US-PGPUB	ADJ	ON	2009/08/28 15:44
S80	1	S79 and (test\$4 or verific\$5) with packet\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/28 15:44
S81	117	duplicat\$5 near3 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset or test\$4) with (mark\$5 or not\$3) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/29 11:53
S82	0	duplicat\$5 near3 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) with (mark\$5 or not\$3) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/29 11:55
S83	34	(redundan\$5 or repeat\$5) near3 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) with (mark\$5 or not\$3) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/29 11:56

S84	26	(avoid\$5 or skip\$5 or prevent\$5) near5 (redundan\$5 or repeat\$5 or duplicat\$5) near3 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/29 12:06
S85	13	(avoid\$5 or skip\$5 or prevent\$5) near5 ("same") near3 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/29 12:15
S86	3	"US 6557245"	US-PGPUB; USPAT; USOCR; DERWENT	ADJ	ON	2009/08/30 01:02
S87	1	("6557442").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/30 01:03
S88	1	("20030088664").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/30 01:11
S89	27	(generat\$5) near2 (test) near2 packet\$2 same (packet with (class\$2 or type or format\$2)) and (random or pseudorandom or pseudo) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:29
S90	0	(test) near2 packet\$2 same (packet with (class\$2 or type or format\$2)) with (random or pseudorandom or pseudo) and (redundan\$5 or duplicat\$5 or repeat\$5) with test near2 packet\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:33

S91	8	(test) near2 packet\$2 with (random or pseudorandom or pseudo) and (redundan\$5 or duplicat\$5 or repeat\$5) with test near2 packet\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:33
S92	0	(generat\$5) near2 (test) near2 packet\$2 same (packet with (class\$2 or type or format\$2)) and (skip\$5 or avoid\$5 or reduc\$5 or prevent\$5) near5 (redundan\$5 or duplicat\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:42
S93	4	(generat\$5) near2 (test) near2 packet\$2 and (packet with (class\$2 or type or format\$2)) and (skip\$5 or avoid\$5 or reduc\$5 or prevent\$5) near5 (redundan\$5 or duplicat\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:42
S94	26	(redundan\$5 or duplicat\$4) near2 (test) near2 packet\$2 and (packet with (class\$2 or type or format\$2)) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:44
S95	34	(redundan\$5 or duplicat\$4) near3 (test) near2 packet\$2 and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:44

S96	1345	(minimiz\$5 or reduc\$5 or skip\$5 or prevent\$5 or avoid\$5) near5 (duplicat\$5 or repeat\$5 or redundan\$5) near4 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset or test\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:51
S97	240	(minimiz\$5 or reduc\$5 or skip\$5 or prevent\$5 or avoid\$5) near5 (duplicat\$5 or repeat\$5 or redundan\$5) near4 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset or test\$4) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303") and ("370" or "709" or "714").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:52
S98	363	(random or pseudorandom or pseudo)near4 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset or test\$4) with (duplicat\$5 or repeat\$5 or redundan\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 01:59
S99	49	(random or pseudorandom or pseudo)near4 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset or test\$4) with (duplicat\$5 or repeat\$5 or redundan\$5) and (minimiz\$5 or reduc\$5 or skip\$5 or prevent\$5 or avoid\$5 or eliminat\$5) near5 (duplicat\$5 or repeat\$5 or redundan\$5) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 02:02

S101	58	(minimiz\$5 or reduc\$5 or skip\$5 or prevent\$5 or avoid\$5 or eliminat\$5) near4 (test\$5 or verif\$5) with (duplicat\$5 or repeat\$5 or redundan\$5) near3 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 02:31
S102	20	(minimiz\$5 or reduc\$5 or skip\$5 or prevent\$5 or avoid\$5 or eliminat\$5) near4 (test\$5 or verif\$5) with (identical\$5 or "same") near3 (testcase\$4 or testcase\$4 or stimuli or (simulat\$5 or test\$4) near2 vector\$2 or test set or testset) and (@ad<="20040303" or @pd<="20040303" or @rlan<="20040303" or @rlad<="20040303" or @rlpn<="20040303")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 02:59

8/ 30/ 2009 9:24:21 AM

C:\ Documents and Settings\ kcehic\ Desktop\ apps\ 10791914\ search2.wsp